

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1. Product identifier:**
MediaRange Colour Protection Spray 400ml; Art.Nr.: MR702
- 1.2. Relevant identified uses of the substance or mixture and uses advised against:**
No further relevant information available.
Application of the substance / the mixture Coating
- 1.3. Details of the supplier of the safety data sheet:**
Distributor/Importer:
MediaRange GmbH
Zum Quellenpark 29
65812 Bad Soden
Deutschland
Tel: +49 619 65238180
- 1.3.1. Further information obtainable from:** Scott Krisztinkovics
E-Mail: scott@mediarange.de
- 1.4. Emergency telephone number:** +49 (0) 6196 - 5238186 / Monday - Friday: 10:00 - 14:00

SECTION 2: HAZARDS IDENTIFICATION

- 2.1. Classification of the substance or mixture:**
- Classification according to Regulation (EC) No 1272/2008:**
Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
Skin Irrit. 2 H315 Causes skin irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.
- Classification according to Directive 67/548/EEC or Directive 1999/45/EC:**
Xi; Irritant
R38: Irritating to skin.
F+; Extremely flammable
R12: Extremely flammable.
N; Dangerous for the environment
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67: Vapours may cause drowsiness and dizziness.
- Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
Warning! Pressurized container.
Has a narcotizing effect.
- Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- 2.2. Label elements:**

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard-determining components of labelling:

Hydrocarbons, C7-C9, n-alkanes, iso-alkanes, cycloalkanes, acetone



Hazard statements:

- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P251 Do not pierce or burn, even after use.
- P211 Do not spray on an open flame or other ignition source.
- P271 Use only outdoors or in a well-ventilated area.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents / container as special waste.

2.3. Other hazards:

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixtures:

Not applicable.

3.2. Chemical characterization: Mixtures:

Description: Mixture of substances listed below with nonhazardous additions:

Designation	CAS-Number	EG Number / EINECS list number	REACH Registration number	Concentration (%)	Classification according to regulation (EG) Nr. 1272/2008 (CLP)		
					Pictogram, Coding the Signal words	Hazard class and hazard coding	Coding of the hazard warnings
Hydrocarbons, C7-C9, n-Alkanes, Iso-Alkanes, Cycloalkanes	-	920-750-0	01-2119473851-33	25-50	GHS02 GHS08 GHS07 GHS09 Danger	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2	H225 H304 H315 H336 H411
Butane Reg.Nr.: 601-004-00-0	106-97-8	203-448-7	01-2119474691-32	25-50	GHS02 GHS04 Danger	Flam. Gas 1 Press. Gas	H220 H280
Dimethyl ether	115-10-6	204-065-8	-	10-	GHS02	Flam. Gas 1	H220

Reg.Nr.: 603-019-00-8				< 25	GHS04 Danger	Press. Gas	H280
Propane Reg.Nr.: 601-003-00-5	74-98-6	200-827-9	01- 2119486944-21	3 – < 10	GHS02 GHS04 Danger	Flam. Gas 1 Press. Gas	H220 H280
Acetone Reg.Nr.: 606-001-00-8	67-64-1	200-662-2	-	1 – ≤ 2,5	GHS02 GHS07 Danger	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336 EUH066
Isobutane Reg.Nr.: 601-004-00-0	75-28-5	200-857-2	01- 2119485395-27	1 – ≤ 2,5	GHS02 GHS04 Danger	Flam. Gas 1 Press. Gas	H220 H280

Additional information:

For the wording of the listed risk phrases refer to section 16.

EC-Numbers beginning with "9" are numbers given by ECHA for the purpose of registration according REACH. Eventually mentioned CAS-numbers valid for countries which are not subject to the REACH regulation or in regulations not yet updated with the new naming convention for hydrocarbon solvents.

SECTION 4: FIRST AID MEASURES

4.1. Beschreibung der Erste-Hilfe-Maßnahmen:

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

4.2. Most important symptoms and effects, both acute and delayed:

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed:

No further relevant information available

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media:

5.1.1. Suitable extinguishing agents:

CO₂, sand, extinguishing powder. Do not use water..

5.1.2. For safety reasons unsuitable extinguishing agents:

Water with full jet.

5.2. Special hazards arising from the substance or mixture:

Extremely flammable aerosol. Pressurized container: May burst if heated.

In the event of a fire, smoke and other combustion products can be formed, and inhalation of the combustion products can cause serious damage to health.

5.3. Advice for firefighters:

Wear full protective clothing and self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

6.1.1. Non-emergency personnel:

Only trained personnel wearing appropriate protective equipment may be present at the accident site.

6.1.2. Emergency services:

Wear protective equipment. Keep unprotected persons away.

6.2. Environmental precautions:

The spilled product and waste must be treated in accordance with the applicable environmental protection regulations. Do not allow the product and the resulting waste to enter sewers / soil / surface or ground water. In the event of environmental pollution, notify the relevant authorities immediately in accordance with applicable legislation.

6.3. Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Collect spilled material with non-combustible absorbent, then place in a suitable, sealed, properly labeled chemical waste container for disposal.

6.4. Reference to other sections:

If necessary, reference should be made to Sections 7, 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling:

Open and handle receptacle with care.

Technical measures:

Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

7.2. Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Incompatible materials: See section 10.5.

Packaging material: No special regulations.

7.3. Specific end use(s):

No further relevant information available.

ABSCHNITT 8: BEGRENZUNG UND ÜBERWACHUNG DER EXPOSITION/PERSÖNLICHE SCHUTZAUSRÜSTUNGEN

8.1. Control parameters:

Ingredients with limit values that require monitoring at the workplace::

Great Britain		
106-97-8 butane	WEL (Great Britain)	Short-term value: 1810 mg/m ³ ; 750 ppm Long-term value: 1450 mg/m ³ ; 600 ppm Carc (if more than 0,1% of buta-1.3-diene)
115-10-6 dimethyl ether	WEL (Great Britain)	Short-term value: 958 mg/m ³ ; 500 ppm Long-term value: 766 mg/m ³ ; 400 ppm
	IOELV (EU)	Long-term value: 1920 mg/m ³ ; 1000 ppm
67-64-1 acetone	WEL (Great Britain)	Short-term value: 3620 mg/m ³ ; 1500 ppm Long-term value: 1210 mg/m ³ ; 500 ppm
	IOELV (EU)	Long-term value: 1210 mg/m ³ ; 500 ppm

The permissible limit values may differ in your country! Please inform yourself about the limit values permitted in your country!

8.2. Exposure controls:

In the case of hazardous substances without a controlled concentration limit, the employer is obliged to keep the level of exposure at the lowest level that can be achieved using available scientific and technical means and at which the hazardous substance has no harmful effects on workers.

8.2.1. **Appropriate technical control:**

Proper foresight is required in the pursuit of work to avoid spilling on clothing and floor or contact with skin and eyes.

8.2.2. **General protective and hygienic measures:**

1. Keep away from foodstuffs, beverages and feed.
2. Immediately remove all soiled and contaminated clothing
3. Wash hands before breaks and at the end of work.
4. Avoid contact with the eyes and skin.
5. **Eye / face protection:** Wear suitable protective goggles if there is a risk of splashing (EN 166).
6. **Skin protection:**
 - a. **Hand protection:** Use appropriate protective gloves (EN 374).
 - b. **Glove material:** If contamination is possible, use nitrile gloves according to EN 374. Penetration time of the glove material > 480 min / 0.4 mm thickness
 - c. **Other protective measures:** No special regulations.
7. **Respiratory protection:** Not necessary if room is well-ventilated.
8. **Thermal hazards:** No known thermal hazards.

8.2.3. **Limitation and monitoring of the environmental exposition:**

No special measures.

The prerequisites under Section 8 require skilled work and only apply under normal conditions and use of the product. If the conditions differ or if the work is carried out under extreme conditions, it makes sense to consult an expert and only then decide on the necessary precautionary measures and further precautions.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. **Information on basic physical and chemical properties:**

Parameter	Value / test method / comments
1. Form / Color:	Aerosol / Colorless
2. Odour:	Acetone-like
3. Odour threshold:	Undetermined*
4. pH:	Undetermined *
5. Melting point/range:	Undetermined *
6. Boiling point/range:	-44 °C
7. Flashpoint:	-97 °C
8. Evaporation rate:	Undetermined *
9. Ignition temperature:	235 °C
10. Explosion limits:	0,7-18,6 Vol. %
11. Pressure:	3-4 bar (20 °C)
12. Density at 20 °C:	ca. 0.6575 g/cm ³
13. Solvent content: Organic solvents: VOC (EC)	ca. 38,5% 59,16 %
14. Solubility in / Miscibility with water:	Not miscible or difficult to mix.
15. Solids content: 9.2 Other informations	4,3% No further relevant informations available
16. Self-igniting:	Product is not selfigniting
17. Decomposition temperature:	Undetermined *
18. Viscosity:	Undetermined *
19. Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
20. Additional informations:	Vapors are heavier than air

9.2. **Other Information:**

*: The manufacturer has not carried out any tests on this parameter of the product or the results of the tests are not available at the time the data sheet is published.

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:**
No known reactivity.
- 10.2. Chemical stability:**
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications
- 10.3. Possibility of hazardous reactions:**
No dangerous reactions known.
- 10.4. Conditions to avoid:**
Keep away from heat, hot surfaces, sparks, open flames and other types of ignition sources. Do not smoke.
- 10.5. Incompatible materials:**
No further relevant informations available.
- 10.6. Hazardous decomposition products:**
No dangerous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1. Information on toxicological effects:**
Acute toxicity: Based on the available data, the classification criteria are not met.
Skin corrosion / irritation: Causes skin irritation.
Serious eye damage / irritation: Based on the available data, the classification criteria are not met.
Respiratory / skin sensitization: Based on the available data, the classification criteria are not met.
Germ cell mutagenicity: Based on the available data, the classification criteria are not met.
Carcinogenicity: Based on the available data, the classification criteria are not met.
Reproductive toxicity: Based on the available data, the classification criteria are not met.
STOT-single exposure: May cause drowsiness and dizziness.
STOT- repeated exposure: Based on the available data, the classification criteria are not met.
Aspiration hazard: Based on the available data, the classification criteria are not met.
- 11.1.1. Summaries of the information from the test performed:**
No information available.
- 11.1.2. Information on toxicological effects:**
Acute toxicity:
Relevant LD/LC50-values:
Hydrocarbons, C7-C9, n-alkanes, Iso-alkanes, Cycloalkanes (ECHA # 920-750-0):
LD50 (oral, rat): > 5000 mg/kg
LD50 (dermal, rabbit): > 2800 mg/kg
LC50 (Inhalative, rat): > 23,3 mg/l
Butane (CAS: 106-97-8):
LC50 (Inhalative, rat): 658 mg/l/4h
Dimethyl ether (CAS: 115-10-6):
LC50 (Inhalative, rat): 308 mg/l/4h
Propane (CAS: 74-98-6):
LC50 (Inhalative, rat): > 20 mg/l/4h
Acetone (CAS: 67-64-1):
LD50 (oral, rat): 5800 mg/kg
LD50 (dermal, rabbit): 20000 mg/kg
Isobutane (CAS: 75-28-5)
LC50 (Inhalative, rat): > 20 mg/l/4h
Primary irritant effect:
On the skin: Irritant to skin and mucous membranes.
On the eye: No irritating effect.
Sensitization: No sensitizing effect known.
- 11.1.3. Test data on possible routes of exposure:**
Ingestion, inhalation, skin and eye contact.
- 11.1.4. Symptoms related to the physical, chemical and toxicological properties:**
No information available.
- 11.1.5. Delayed and immediate effects as well as chronic effects from short and long-term exposure:**

Causes skin irritation.
May cause drowsiness and dizziness.

- 11.1.6. Interactions:**
No information available.
- 11.1.7. Lack of specific data:**
No information available.
- 11.1.8. Other Information:**
No information available.

SECTION 12: ECOLOGICAL INFORMATION

- 12.1. Toxicity:**
Toxic to aquatic life with long lasting effects.
Information about the components:
Hydrocarbons, C7-C9, n-alkanes, Iso-alkanes, Cycloalkanes (ECHA # 920-750-0):
EC50 (Daphnia): 3 mg/l/48h
LC50 (onc): > 13,4 mg/l/96h
- 12.2. Persistence and degradability:**
No information available.
- 12.3. Bioaccumulative potential:**
No information available.
- 12.4. Mobility in soil:**
No information available.
- 12.5. Results of PBT and vPvB assessment:**
Not applicable.
- 12.6. Other adverse effects:**
Toxic to fish.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms

SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1. Waste treatment methods:**
Disposal in accordance with local regulations.
- 13.1.1. Information regarding the disposal of the product:**
Dispose of in accordance with the applicable regulations.
European waste catalogue:
16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 05 00 gases in pressure containers and discarded chemicals
16 05 04* gases in pressure containers (including halons) containing dangerous substances
- 13.1.2. Waste treatment methods:**
Empty cans: material recycling.
Filled cans: remove in accordance with local regulations.
- 13.1.3. Physical / chemical properties can influence the possible waste treatment methods:**
No information available.
- 13.1.4. Disposal via wastewater:**
No information available.
- 13.1.5. Special precautions for recommended waste treatment:**
No information available.

SECTION 14: TRANSPORT INFORMATION

- 14.1. UN-Number:**
ADR; IMDG; IATA: UN 1950
- 14.2. UN proper shipping name:**

Creation date: 31. 07. 2020
Revised on: -
Version: 1

ADR: 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
IMDG: AEROSOLS, MARINE POLLUTANT
IATA: AEROSOLS, flammable

14.3. Transport hazard class(es):

ADR:

Class: 2 5F Gases

Label: 2.1



IMDG:

Class: 2.1

Label: 2.1



IATA:

Class: 2.1

Label: 2.1



14.4. Packing group:

No packing group.

14.5. Environmental hazards:

Marine pollutant: No - Symbol (Fish and tree)

Special marking (ADR): Symbol (Fish and tree)

14.6. Special precautions for user:

Warning: Gases

EMS #: F-D, S-U

Transport in bulk according to ANNEX II of MARPOL73/78 and the IBC Code: Not applicable

Transport/Additional information:

ADR:

Limited quantities (LQ): 1L

Expected quantities (EQ): Code: Eo

Not permitted as excepted quantity

Transport Category: 2

Tunnel restriction code: D

Remark: Transportation as "LIMITED QUANTITIES" according 3.4 ADR is possible.

Sole marking: Sign for "Limited Quantities" (rhombus with two black edges)

Entry in the transportation document: Transportation according chapter 3.4 ADR

IMDG:

Limited quantities (LQ): 1L

Expected quantities (EQ): Code: Eo

Not permitted as excepted quantity

14.7. UN model regulation:

UN1950, AEROSOLS, ENVIRONMENTALLY HAZARDOUS, 2.1.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

REGULATION (EC) No. 1907/2006 of the European Parliament and the Council of December 18, 2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), the creation of a European Chemicals Agency, the amendment of Directive 1999/45/EC and the repeal of Regulation (EEC) No. 793/93 of the Council, Regulation (EC) No. 1488/94 of the Commission, Directive 76/769/EEC of the Council and Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC of the Commission

REGULATION (EC) No. 1272/2008 of the European Parliament and of the Council of December 16, 2008 on the classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548 / EEC and 1999/45 / EC and amending Regulation (EC) No. 1907/2006

REGULATION (EU) No. 2015/830 OF THE COMMISSION of 28 May 2015 amending Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the registration, evaluation, authorization and restriction of chemical substances (REACH)

COMMISSION DIRECTIVE 2013/10 / EU of March 19, 2013 amending Directive (EEC) No. 75/324 on the approximation of the laws of the Member States relating to aerosol dispensers.

Information about limitation of use:
 Employment restrictions concerning juveniles must be observed.

15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Information for the revised safety data sheets: Not specified.

References / data sources:
 Manufacturer's safety data sheet (09/02/2015).

Methoden für die Einstufung gemäß Verordnung (EG) Nr. 1272/2008:

Einstufung	Methode
Aerosole, Gefahrenkategorien 1 – H222; H229	Basierend auf Testverfahren (Testdaten)
Verätzung/Reizung der Haut, Gefahrenkategorie 2 – H315	Basierend auf Berechnungsmethode
Spezifische Zielorgan-Toxizität (einmalige Exposition), Gefahrenkategorie 3, betäubende Wirkungen – H336	Basierend auf Berechnungsmethode
Chronisch gewässergefährdend, Gefahrenkategorie 2 – H411	basierend auf den Berechnungsmethoden

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

- H220 – Extremely flammable gas.
- H222 – Extremely flammable aerosol.
- H225 – Highly flammable liquid and vapour.
- H229 – Pressurized container: May burst if heated.
- H280 - Contains gas under pressure; may explode if heated.
- H304 – May be fatal if swallowed and enters airways.
- H315 – Causes skin irritation.
- H319 – Causes serious eye irritation.
- H336 – May cause drowsiness or dizziness.
- H411 – Toxic to aquatic life with long lasting effects.
- EUH 066 – Repeated contact can lead to rough or cracked skin.

Training advice: No information available.

Full text of the abbreviations in the safety data sheet:

- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- ATE: Acute toxicity estimate.

AOX: Adsorbable organic halogen compounds.
BCF: Bioconcentration factor.
BOD: Biological oxygen demand.
CAS Number: Chemical Abstract Service number.
CLP: Regulation (EC) No. 1272/2008 on the classification, labeling and packaging of substances and mixtures.
CMR-properties: Carcinogenic, mutagenic, reproductive effects.
COD: Chemical Oxygen Demand.
CSA: Chemical safety assessment.
CSR: Chemical safety report.
DNEL: Derived-No-Effect-Level.
ECHA: European Chemicals Agency.
EC: European Community.
EC-Number: EINECS- und ELINCS-Numbers (see also EINECS and ELINCS) (EC-Number).
EEC: European Economic Community.
EEA: European Economic Area (EU + Iceland, Liechtenstein and Norway).
EINECS: European register of chemicals on the market.
ELINCS: European list of notified chemical substances.
EN: European Standard.
EU: European Union.
EWC: European waste catalog (replaced by LoW - see below).
GHS: Globally harmonized system for the classification and labeling of chemicals.
IATA: International Air Transport Association.
ICAO-TI: Technical instructions for the safe transport of dangerous goods by air.
IMDG: International sea transport of dangerous goods.
IMSBC: International maritime bulk cargoes.
IUCLID: International uniform chemical information database.
IUPAC: International Union for Pure and Applied Chemistry
Kow: n-Octanol/Water partition coefficient.
LC50: Lethal concentration resulting in 50% mortality.
LD50: Lethal dose resulting in 50% mortality (mean lethal dose)
LoW: List of waste.
LOEC: Lowest concentration at which an effect is noticed.
LOEL: Lowest dose at which an effect is noted.
NOEC: Concentration with no observable effect.
NOEL: Dose with no observable effect.
NOAEC: Concentration with no observable deleterious effect.
NOAEL: Dose with no observable deleterious effect.
OECD: Organization for economic cooperation and development.
OSHA: Occupational health and safety.
PBT: Persistent, bioaccumulative and toxic.
PNEC: Estimated no-effect concentration.
QSAR: Quantitative structure-activity relationship.
REACH: Regulation No. 1907/2006 / EC on the registration, evaluation, authorization and restriction of chemical substances.
RID: Regulation for the international carriage of dangerous goods by rail.
SCBA: Self-contained breathing apparatus.
SDB: Safety data sheet.
STOT: Specific target organ toxicity.
SVHC: Substances of very high concern.
UN: United Nations.
UVCB: Substances with unknown or variable composition, complex reaction products and biological materials.
VOC: Volatile organic compounds.
vPvB: Very persistent and very bioaccumulative.

This safety data sheet was created on the basis of information provided by the manufacturer / distributor and complies with the relevant regulations.

The information, data and recommendations contained herein are obtained from reliable sources, are given in good faith and are believed to be correct and accurate at the time of execution. However, no guarantee can be given about the completeness of the information.

The safety data sheet is only intended as a guide for handling the product. Other considerations may arise or be necessary for the use and use of the product.

The users are advised to weigh the appropriateness and applicability of the information given above for their particular circumstances and purposes and to assume all risks of product use.

The user is obliged to follow all applicable legal regulations relating to the handling of this product.

Sicherheitsdatenblatt erstellt von:

MSDS-Europe
der internationale Geschäftszweig von
ToxInfo Kft.

Professionelle Hilfe in Bezug auf die Erklärung
des Sicherheitsdatenblattes:

+36 70 335 8480; info@msds-europe.com
www.msds-europe.com

